

NORLYS

UK & IRELAND EDITION 2025



♪ NORLYS

Inspired by the simplicity and timeless aesthetics of Scandinavian design, we draw from nature to craft lighting fixtures that exude elegance and sophistication. NORLYS products embody the core values of Scandinavian design, embracing minimalism, functionality and enduring beauty. With NORLYS, you can trust that our lighting solutions will effortlessly integrate into any space, elevating its ambiance and leaving a lasting impression.

High-Grade lighting by design

The Norlys series is the professional choice for architects, lighting designers and contractors. These high quality products have robust construction, partnering the best materials with durable finishes. All are European made and comply to all essential European standards.

Trusted Quality

All Norlys products are delivered with performance, longevity and practicality in mind. European brand LED modules, drivers, lamp-holders and electrical parts make sure that the construction and final assembly are completed to the highest standards.





CONTENTS

MODERN

Pages 14-31

CONTEMPORARY

Pages 32-79

CLASSIC

Pages 80-131

Corner brackets Warranty info

Page 132 Page 133 All our products are designed to have high-grade performance, striking visual appearance and when maintained properly will give many years of good service. To support this, our product warranties differ for each type of material.



All wood parts on products

2 year warranty against structural failure



Products and parts with outsourced casting or finishing processes

3 year warranty against severe corrosion



Die-cast aluminium and Painted steel products

5 year warranty against severe corrosion



Galvanized steel products

8 year warranty against severe corrosion



All copper parts on products

Limited 10 year warranty against structural failure. (Once installed, copper will immediately start to develop a natural patina, darkening over time)



316L Marine Grade Stainless Steel products

 $10\,year warranty\,against\,severe\,corrosion$

NO COASTAL EXCLUSIONS

These warranties have no location exclusions, and can be used right up to the coast. For info about what exclusions do apply, terms and conditions, and warranty registration see page 133.

Over 30 years of experience

NORLYS is the embodiment of the Scandinavian spirit. It was born in the frosty North in Norway, reflecting its simplicity, resilience, and naturalness. NORLYS is the answer to the long polar nights, the harshness of nature, and the need for safety. That is why we have been lighting spaces for 30 years. It is our passion and mission.

Todayourmainproductionplant and stock facilities are established in Poland and Sweden. We have our own aluminium foundry, a press department for the production of steel luminaires, and a hot-dip galvanising department. Apart from that, we have a machining department which includes CNC machining, a powder-coating department, and assembly departments.

Our pride is our own Testing Laboratory equipped with specialised equipment of the highest class for the testing of luminaires. This lab performs measurements according to the requirements specific to ENEC and in accordance with the ISO 17025 standard.

We are an international company. Our subsidiaries located in Norway, Sweden, France, Italy and Poland are accompanied by an extensive worldwide sales network of professional distributors. This year, we are proud to announce that we have achieved the EcoVadis Bronze certification, reaffirming our commitment to sustainable development and corporate social responsibility.



Opening the first production hall (1998)



Hot-dip galvanizing plant (2003)



Die casting and tool shop (2011)



New warehouse and assembly (2015)


Built to last Manufacturing Integrity

Helped by over 200 skilled engineers and technicians in more than 15,000 square meters of facility, the vertically integrated manufacturing process is undertaken with superior quality as its primary focus. Starting from using the right raw materials, components and fasteners, the whole life cycle within the factory facility is driven to deliver the highest standards of quality for every item coming off the production line.



High pressure die-casting

The products made from die-cast aluminium are cast in one of the most technically capable foundries in Europe. With four semi-robot operated die-casting machines, the ability to control casting quality is essential, resulting in the best possible final products.



Hot dip galvanising

Many of the products are manufactured using high grade steel as the base material. These steel components are then galvanised by skilled technicians, operating a hot-dip galvanising plant for carefully controlled and consistent results. Galvanised steel based products are commonly chosen for coastal applications as they are capable of surviving in the harshest of climates.



Powder Coating facility

Particulary with die-cast aluminium, it is essential for powder coating application to be done in a scientific and controlled way, otherwise the longevity of the coating is considerably reduced. Having used the best grade of raw material in the initial die-casting, a 9 stage paint process is then undertaken to give the best possible results.

This includes temperature controlled cleaning, rinsing and chemical pre-treating before being coated with electrostatically applied powder paint. Products are then stoved at 180°C resulting in a robust and corrosion resistant final coating.

Special Icons





We use only high-quality, natural Scandinavian wood, which adds warmth and elegance to the lamps. The natural Scandinavian wood used in the fittings refers to the Nordic style, its naturalness, lightness and subtlety.

LED lamps and stand alone PIR censors, can be used with all fittings to gain energy control.



Each lamp is meticulously hand-crafted using traditional crafts-manship methods to guarantee its unique character. The power of craftsmanship.



Vandal-resistant

Our lamps are robustly ma-nufactured and vandal-resistant, making them an ideal choice for public areas.



We care about the environment. Our products are environmentally friendly and manufactured with minimal environmental impact in mind.



The lamp'p.construction is resistant to extreme weather conditions, from frost to heat, guaranteeing its durability.



Our lamps are equipped with an adjustable head, allowing the direction of light to be set precisely according to individual needs.



Each lamp is protected against corrosion twice, first by galvanising and then by powder coating. This guarantees its longevity and resistance to weathering.

Product Icons

ΙK

Product Characteristics

Luminaire with socket for replaceable light source (GU10, E27, E14)





Luminaire with socket for replaceable light source (GU10, E27, E14)



The IK shock resistance level is a measure of the resistance of electrical equipment enclosures to mechanical stress, particularly impact stress









LED luminaire. Luminaire equipped with LED module



Light emission

Light (up, down)

Determination of the direction of the light beam emission







Voltage 220-240V



Light (narrow down - wide up, narrow up, etc.)

Determination of the direction and angle of the light beam emission.







Control

DIM dimmable version Phase dimmable luminaire



DALI light control



Main and visual materials used

Steel



Security

CECertificate

CE - Manufacturer's declaration that a labelled product complies with the requirements of the EU, New Approach directive.



Stainless Steel



Aluminium



Copper



Wood



Protection class (I, II, III)

 $\label{eq:protection} Protection class (I, II, III) \\ Protection class I / Luminaire with \\ protective conductors. \\$



Protection class II/protection by double or reinforced insulation.



Type of lens

Toughened/safe glass

Luminaire with safe glass diffuser.



Security

ΙP

IP rating, determines whether the electrical equipment is suitable for various environmental conditions



IP55/65







PMMA (acrylic glass)

The luminaire uses PMMA (acrylic glass) diffuser.



PC(polycarbonate)

The luminaire uses PC (polycarbonate) diffuser.



*See warranty details on page 133.

Bollards

■ Listed A - Z



AltaPage 17



Alta Page 17



Halmstad Page 19



Halmstad Page 18



Halmstad Page 19




Halmstad Page 21



Halmstad Page 21





Bologna Page 129



Bologna Page 129



Basel Page 75



Basel Page 73



Basel Page 75



Basel Page 73



Berlin Page 55



Bern Page 71



Bern Page 69



Bern Page 71



Bern Page 69



Boden Page 77



Boden Page 77



Bremen Page 57



Como Page 123



Chelsea Page 83



Chelsea Page 85



Chelsea Page 85



Chelsea Page 89



Chelsea Page 91



Firenze
Page 126



Geneve Page 25



Lofoten Page 59



Lofoten Page 61



Lofoten Page 63



Lund Page 51



LundPage 51



Malaga Mini Page 95



Malaga Mini Page 96



Malaga Page 95



Malaga Page 96



Oslo Page 49



Stockholm Page 37



Stockholm Page 37



Stockholm Page 35



Stockholm Page 35



Stockholm Page 39



Stockholm Page 39



Stockholm Page 41



Stockholm Page 41



TurinPage 101



TurinPage 105



Turin Page 99



Turin Page 99



TurinPage 103



TurinPage 105



Valencia Page 121



Valencia Page 118



Valencia Page 97



Valencia Page 119



Valencia Page 121



Vansbro Page 53



Vansbro Page 53



Vasa Page 23

Accent Lighting

■ Listed A - Z



Asker Page 31



Mandal Page 79



Mandal Page 79



Mandal Page 79



Mandal Page 79



Moss Page 29



Sandvik Page 27



Sandvik Page 27

Pedestals & Pillars



Bologna Page 131



Chelsea Page 87



Chelsea



Lofoten Page 65



Lofoten Page 67



Stockholm Page 43



Stockholm Page 43



Stockholm Page 42



Stockholm Page 42



TurinPage 101



TurinPage 108



Turin Page 103



Valencia Page 117







Valencia
Page 117

Posts



Como Page 123



Chelsea Page 92



Chelsea Page 93



Chelsea Page 92



Firenze Page 125



Oslo Page 47



Stockholm Page 45



Stockholm Page 45



Turin Page 109



TurinPage 108



TurinPage 111



Valencia Page 115



/aiencia Page 115



Valencia Page 116

Ceiling



Chelsea Page 89



Firenze Page 127



Lofoten Page 65



Lofoten Page 67



Lofoten Page 63



Oslo Page 49



TurinPage 107




TurinPage 107



Valencia Page 113











ALTA-M-E27-BLK



ALTA-L-E27-BLK

Alta

- Powder coated steel bollard supplied with opal PMMA diffuser.
- ** Concreting anchors and supports are supplied for all bollards. (Art.205)

ALTA-M-E27-BLK

1lt Medium Bollard ART 293B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP65
Warranty	5 years*



ALTA-L-E27-BLK 11t Large Bollard ART 291B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP65
Warranty	5 years*

























Halmstad

- Heavy duty powder coated steel bollard supplied with opal PMMA lens.
- **Concreting anchors and supports are supplied for all bollards. (Art. 205)

H-STAD-M-E27-BLK

1lt Medium Bollard ART 295B

Max Wattage1x 60W E27FinishBlackIP RatingIP65Warranty5 years*







H-STAD-M-E27-BLK

H-STAD-L-E27-BLK



H-STAD-S-E27-BLK

Halmstad

- Heavy duty powder coated steel bollard supplied with opal PMMA lens.
- **Concreting anchors and supports are supplied for all bollards. (Art.205)

H-STAD-S-E27-BLK

1 It Small Bollard ART 210B


Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP65
Warranty	5 years*



H-STAD-L-E27-BLK

1lt Large Bollard ART 296B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP65
Warranty	5 years*



























H-STADSW-M-E27-B

H-STADSW-L-E27-B

Halmstad

Scandinavian wood

- Heavy duty powder coated steel, Scandinavian wooden bollards with opal PMMA lens.
- **Concreting anchors and supports are supplied for all bollards. (Art. 205)

H-STADSW-M-E27-B

1 It Medium Wooden Bollard ART 1234B

Max Wattage 1x 60W E27 Finish Black IP Rating IP65

Warranty.....2 years (for Wood) 5 years (for Painted Steel)*



H-STADSW-L-E27-B

1 It Large Wooden Bollard ART 1410B

Max Wattage 1x 60W E27 Finish..... Black

IP Rating IP65
Warranty 2 years (for Wood)

5 years (for Painted Steel)*



























Vasa

- Powder coated cast aluminium.
- Supplied with UV stabalised, transparent polycarbonate lens.

VASA-E27-GRA

1 It Up & Down Wall Light ART 127GR

Max Wattage	1×8W LED E27
Finish	Graphite
IP Rating	IP65
Warranty	5 years*



VASA-E27-GRA









*See warranty details on page 133.





















GENEVE-E27-GRA


Geneve


- Powder coated cast aluminium.
- Supplied with UV stabilised, transparent polycarbonate lens.


GENEVE-E27-GRA

1 It Up & Down Wall Light ART 1874 GR

Max Wattage	1× 60W E27
Finish	Graphite
IP Rating	IP54
Warranty	5 years*

































SANDVIK-LED1-GR



SANDVIK-LED2-GR

Sandvik

- $\qquad \qquad {\sf Powder\,coated\,cast\,aluminium}.$
- Clear safety glass.

SANDVIK-LED1-GR

1lt Down Wall Light ART 1740GR

Max Wattage	1×8W LED GU10
Finish	Graphite
IP Rating	IP65
Warranty	5 years*



SANDVIK-LED2-GR

2 It Up & Down Wall Light ART 1730GR

Max Wattage	.2×8WLEDGU10
Finish	.Graphite
IP Rating	.IP65
Warranty	.5 years*

























MOSS-WALL-GR

Moss

- Aluminium spot light with a graphite finish.
- Glass lens.
- Light direction can be adjusted vertically.

MOSS-WALL-GR

LED Wall Light ART 6161GR

MaxWattage......4WIntegratedLED

Lumen 389Lm
ColourTemp 3000k
Finish Graphite
Warranty 5years*





























Asker

- Powder coated cast aluminium wall light.
- Supplied with UV Stabalised, transparent polycarbonate lens.

ASKER-UD-E27-GRA

11t Small Up/Down Wall Light ART 1513GR

Max Wattage	1× 60W E27
Finish	Graphite
IP Rating	IP65
Warranty	5 years*





ASKER-UD-E27-GRA






























ST-FLU-E27-GAL-O



ST-FLU-E27-GAL-C


Stockholm

- Front detail constructed from galvanized steel.
- Aluminium back plate.
- Opal polycarbonate lens and UV stabilised clear polycarbonate lens options available.

ST-FLU-E27-GAL-O

1 It Flush Light ART 220 GAL

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP54
Warranty	8 years*



ST-FLU-E27-GAL-C

1lt Flush Light ART 226GAL

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP54
Warranty	8 vears*































ST-FLU-E27-BLK-O




ST-FLU-E27-BLK-C

- Front detail constructed from galvanized steel with additional powder coating.
- Aluminium back plate.
- Opal polycarbonate lens and UV stabilised clear polycarbonate lens options available.

ST-FLU-E27-BLK-O

1 It Flush Light ART220B


Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



ST-FLU-E27-BLK-C 1It Flush Light

ART 226B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*






























ST1-G-BLK



- Constructed from galvanized steel. The black finish has additional powder coating.
- Supplied with clear PMMA lens.
- Corner brackets available, see p 132. C-BKT6-BLACK.

ST1-G-BLK 1 It Grande Wall Lantern ART286B


Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



ST1-BLACK

1 It Wall Lantern ART280B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*





























- Constructed from galvanized steel.
- Supplied with clear PMMA lens.
- Corner brackets available, see p 132. C-BKT8-GAL

ST1-G-GAL

1 It Grande Wall Lantern ART 286GA

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP54
Warranty	8 years*



ST1-GALVANIZED

1lt Wall Lantern ART 280 GA

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP54
Warranty	8 years*















ST1-GALVANIZED











- Constructed from galvanized steel.
- Supplied with transparent PMMA lens.

ST3-G-GAL

1lt Grande Pedestal ART 287 GAL

Max Wattage1x 60W E27FinishGalvanizedIP RatingIP54Warranty8 years*



ST3-GALV

1It Pedestal ART 284 GAL

Max Wattage1x 60W E27FinishGalvanizedIP RatingIP54Warranty8 years*





ST3-G-GAL



ST3-GALV

ST3-G-BLACK



ST3-BLACK

- Constructed from galvanized steel and finished in black powder coating.
- Supplied with transparent PMMA lens.

ST3-G-BLACK

1lt Grande Pedestal ART 287B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



ST3-BLACK

1 It Pedestal ART 284B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



























ST5-G-GALV ST5-G-BLACK

Stockholm

- Constructed from galvanized steel. The black finish has additional powder coating.
- Supplied with transparent PMMA lens.
- Telescopic post.
- ** Concreting anchors and supports are supplied for all posts. (Art. 405)

ST5-G-GALV ST5-G-BLACK

1 It Grande Lamp Post ART 281 GA & ART 281 B


Max Wattage 1x 60W E27

Finish.....Black or Galvanized

IP Rating IP54
Warranty8 years*

on Galvanized finish.

5 years* on Black finish.





























Oslo

- Constructed from galvanized steel and powder coated black.
- Lens: UV stabilised clear polycarbonate.
- Telescopic pole.
- Concreting anchors and supports are supplied for all posts**. (Art 405)

OS6-BLACK-C

2 It Lamp Post ART 242B

Max Wattage2×60W E27FinishBlackIP RatingIP55





























OS8-BLACK-C

Oslo

- Constructed from galvanized steel and powder coated black.
- Lens: UV stabilised clear polycarbonate.
- (OS2) Corner bracket available see page 132. C-BKT6-BLACK.

OS8-BLACK-C

1It Chain Lantern ART 240AB

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP55
Warranty	5 years*





OS2-BLACK-C

1 It Wall Lantern ART 240B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP55
Warranty	5 years*



























LUND-BLACK-C



LUND-GAL-C

Lund

- Constructed from galvanized steel. The black finish has additional powder coating.
- Supplied with UV stabilised clear polycarbonate.
- Corner brackets available, see p 132.
 C-BKT6-BLACK or C-BKT8-GAL.

LUND-BLACK-C

1lt Wall Lantern ART 290B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP55
Warranty	5 years*



LUND-GAL-C 1It Wall Lantern

1lt Wall Lantern ART 290 GA

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP55
Warranty	8 years*





























VANSBRO-BLK



VANSBRO-GAL

Vansbro

- Constructed from galvanized steel The black finish has additional powder coating.
- Lens: UV stabilised clear polycarbonate.
- Corner brackets available, see p 132.
 C-BKT6-BLACK or C-BKT8-GAL.

VANSBRO-BLK

1 It Wall Lantern ART 1920B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP55
Warranty	5 years*



VANSBRO-GAL

1 It Wall Lantern ART 1920 GA

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP55
Warranty	8 years*




























Berlin

- Constructed from powder coated cast aluminium.
- Supplied with a UV Stabalised opal polycarbonate lens.

BERLIN-E27-BLK-O

1 It Wall Light ART 611B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*





BERLIN-E27-BLK-O


























Bremen

- Galvanized steel front cover mounted on an aluminium backplate.
- Supplied with a UV stabalised, polycarbonatelens.

BREMEN-E27-GAL-O 1It Wall Lantern

ART 631GA

Max Wattage	1× 60W E27
Finish	Galvanized
IP Rating	IP54
Warranty	8 years*





BREMEN-E27-GAL-O



























Lofoten

- Constructed from electrogal vanized steel with black powder coating.
- Clear safety glass.
- Open, modern style.

LOFOTEN-WALL-BLK

1 It Wall Light with Arm ART 1939B





LOFOTEN-WALL-BLK

























LOFOTEN-DOWN-BLK

Lofoten

- Constructed from electrogal vanized steel with black powder coating.
- Clear safety glass.
- Open, modern style.

LOFOTEN-DOWN-BLK

11t Wall Light with Arm ART 1949B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years





























LOFOTEN7-BLK



LOFOTEN8-BLK

Lofoten

- Constructed from electrogal vanized steel with black powder coating.
- Clear safety glass.
- Open, modern style.

LOFOTEN7-BLK

1 It Half Wall Light ART 1940B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years*



LOFOTEN8-BLK

1lt Ceiling Chain Light ART 1944B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years*





























LOFOTEN-F1-BLK



LOFOTEN3-BLK

Lofoten

- Constructed from electrogal vanized steel with black powder coating.
- Clear safety glass.
- Open, modern style.

LOFOTEN-F1-BLK

1 It Flush Ceiling Light ART 1942B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years*



LOFOTEN3-BLK

1 It Pedestal ART 1941B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years*





























LOFOTEN-F2-BLK

Lofoten

- Constructed from electrogal vanized steel with black powder coating.
- Clear safety glass.
- Open, modern style.

LOFOTEN-F2-BLK

2 It Flush Ceiling Light ART 1945B

Max Wattage	2×60WE27
Finish	Black
IP Rating	IP44
Warranty	3 years*



LOFOTEN4-BLK

1 It Pillar Post ART 1946B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP44
Warranty	3 years*























LOFOTEN4-BLK







BERN-E27-BLK-F



BERN-E27-S-S-F

Bern

- Wallplate is aluminium. Front is stainless steel or powder coated black steel.
- Heavy frosted glass.
- We use Marine Grade 316L stainless steel on BERN-E27-S-S-F (To maintain, see page 133).

BERN-E27-BLK-F


1 It Wall Lantern

ART 651B



BERN-E27-S-S-F

1 It Wall Lantern ART 651ST

































BERN-E27-S-S-C



BERN-E27-BLK-C

Bern

- Wallplate is aluminium. Front is stainless steel or powder coated black steel.
- Clearglass.
- We use Marine Grade 316L stainless steel on BERN-E27-S-S-F (To maintain, see page 133).

BERN-E27-S-S-C

1It Wall Lantern ART 650ST

Max Wattage	1× 60W E27
Finish	Stainless Steel
IP Rating	IP54
Warranty	10 vears*



BERN-E27-BLK-C

1 It Wall Lantern ART 650B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*































BASEL-E27-BLK-F



BASEL-E27-S-S-F

Basel

- Wallplate in aluminium. Front in stainless steel or powder coated galvanised steel.
- Heavy frosted glass.
- We use Marine Grade 316L stainless steel on BASEL-E27-S-S-F (to maintain, see page 133).

BASEL-E27-BLK-F

1It Wall Lantern

ART 661B


Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



BASEL-E27-S-S-F

1 It Wall Lantern ART 661ST

Max Wattage	.1× 60W E27
Finish	.Stainless Steel
IP Rating	.IP54
Warranty	.10 years*































BASEL-E27-BLK-C



BASEL-E27-S-S-C

Basel

- Wallplate in aluminium. Front in stainless steel or powder coated galvanised steel.
- Clear safety glass.
- We use Marine Grade 316L stainless steel on BASEL-E27-S-S-F (to maintain, see page 133).

BASEL-E27-BLK-C

1 It Wall Lantern

ART660B


Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



BASEL-E27-S-S-C

1It Wall Lantern ART 660ST

Max Wattage	1× 60W E27
Finish	Stainless Steel
IP Rating	IP54
Warranty	10 vears*





























BODEN-E27-BLK-O



BODEN-E27-BLK-C


Boden

- Cast Aluminium with powder coated finish.
- UV stabilised clear or opal polycarbonate lens.

BODEN-E27-BLK-O

1 It Wall Light - Opal Lens ART 860B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



BODEN-E27-BLK-C

11t Wall Light - Clear Lens ART 862B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*



























MANDAL-UD-GAL



MANDAL-UD-BLK



MANDAL-DN-GAL



MANDAL-DN-BLK

Mandal

- Wallplate and front in Galvanized steel. Black finish is powder coated.
- Clear safety glass.

MANDAL-UD-GAL MANDAL-UD-BLK

2 lt Up/Down Wall Light ART 1371GA or ART 1371B

Max Wattage .2 × 4W LED GU10 Finish.....Galvanized or Black

IP Rating.....IP44

Warranty.......Galvanised 8 years*

Black 5 years*



MANDAL-DN-GAL MANDAL-DN-BLK

1 It Down Wall Light ART 1374GA or ART 1374B

Max Wattage .1 × 4W LED GU10

Finish......Galvanized or Black IP Rating.....IP44

Warranty......Galvanized 8 years*

Black 5 years*

































- Natural copper. Brackets manufactured in aluminium and powder coated in black.
- Clear polycarbonate lens.
- Copper lanterns have a raw finish to allow natural patina over time.
- For corner bracket order C-BKT4-BLK. (See page 132).

CSG1-COPPER

1It Grande Up Wall Lantern ART 955CO


































CS2-COPPER

- Natural copper. Brackets manufactured in aluminium and powder coated in black.
- Clear polycarbonate lens.
- Copper lanterns have a raw finish to allow natural patina over time.
- For corner brackets order C-BKT4-BLK. (See p 132).

CS1-COPPER

1It Wall Lantern ART 954CO

Max Wattage	1× 60W E27
Finish	Copper
IP Rating	IP44
Warranty	10 years (for
Copper) 5 years (for Aluminium)*



CS2-COPPER 1It Down Wall Lantern ART 960CO





























CS3-COPPER



CSG3-COPPER

- Natural copper. Bases manufactured in aluminium and powder coated in black.
- Clear polycarbonate lens.
- Copper lanterns have a raw finish to allow natural patina over time.

CS3-COPPER

1lt Pedestal Lantern ART 956CO

Max Wattage	1× 60W E27
Finish	Copper
IP Rating	IP44
Warranty	10 years (for
Copper) 5 years (f	or Aluminium)*



CSG3-COPPER

1 It Grande Pedestal Lantern ART 957CO

Max Wattage	1× 60W E27
Finish	
IP Rating	
Warranty	
Conner) 5 years (•





























CS8-COPPER

CS7-2-COPPER

Chelsea

- Natural copper.
- Clear polycarbonate lens, UV Stabilised.
- Copper lanterns have a raw finish to allow natural patina over time.

CS8-COPPER

1 It Chain Lantern ART 961ACO

Max Wattage1x 60W E27 Finish Copper IP Rating IP44 Warranty10 years*



CS7-2-COPPER

1It Small Half Lantern ART 962CO




























- Natural copper.
- Clear polycarbonate lens.
- Copper lanterns have a raw finish to allow natural patina over time.

CS7-COPPER

1It Large Half Lantern ART 950CO

Max Wattage	1× 60W E27
Finish	Copper
IP Rating	IP44
Warranty	10 years*













CS7-COPPER















- Natural copper lantern. Post manufactured in aluminium and powder coated in black.
- Clear polycarbonate lens.
- $Copper \, lanterns \, have \, a \, raw \, finish \, to \,$ allow natural patina over time.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- Concreting anchor and support supplied**. (Art. 305)

CSG5-COPPER

1 It Grande Lamp Post ** ART951CO

Max Wattage1 × 60W E27 Finish.....Copper & Black

IPRating.....IP44

Warranty......10 years (for Copper)

5 years (for Aluminium)*



CSG-HO

1 It Grande Lamp Post (Head Only) ART 9012

Max Wattage 1× 60W E27 Finish.....Copper IP Rating.....IP44

Warranty......10 years (for Copper)

5 years (for Aluminium)*







CSG-HO





























CS6-COPPER

- Natural copper lantern. Brackets and posts manufactured in aluminium and powder coated in black.
- Clear polycarbonate lens.
- Copper lanterns have a raw finish to allow natural patina over time.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- Concreting anchor and support supplied**. (Art. 305)

CS6-COPPER

Twin Head Lamp Post ART953CO

 $\textbf{MaxWattage}.....2 \times 60 \text{WE27}$ Finish.....Copper & Black

IPRating.....IP44

Warranty.....10 years (for Copper)

5 years (for Aluminium)*

































M8-BLACK



M8-2-MINI-BLACK

Malaga

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.

M8-BLACK

1 It Wall Lantern ART 170B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



M8-2-MINI-BLACK

1 It Mini Wall Lantern ART 175B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*























Malaga

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.

M8-WHITE

1 It Wall Lantern ART 170W





M8-WHITE

M8-2-MINI-WHITE

1 It Mini Wall Lantern ART 175W





M8-2-MINI-WHITE





















V9-BLACK

Valencia

- Powder coated aluminium cast, finished in black
- UV stabalised clear polycarbonate lens.

V9-BLACK 1 It Half Lantern ART 261B

Max Wattage.....1x 60W E27 Finish.....Black IPRating.....IP54 Warranty.....5 years*



























T9-BLACK

T7-2-BLACK

- Powder coated cast aluminium, finished in black.
- UV stabalised clear polycarbonate lens.

T9-BLACK

1It Half Lantern ART730B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



T7-2-BLACK

1 It Half Wall Lantern ART-497B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5vears*



























T1-BLACK

T3-BLACK

- Powder coated cast aluminium.
- UV stabalised clear polycarbonate lens.
- Corner bracket available, see page 132. C-BKT4-BLK.

T1-BLACK

11t Medium Up Wall Lantern ART 480B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



T3-BLACK

1 It Medium Pedestal ART 484B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*





























TG3-BLACK

- Powder coated cast aluminium.
- UV stabalised clear polycarbonate lens.
- Corner bracket available, see page 132. C-BKT4-BLK.

TG1-BLACK

11t Large Up Wall Lantern ART 490B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



TG3-BLACK

1lt Large Pedestal ART 494B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*



























T2-BLACK

TG2-BLACK

- Powder coated cast aluminium.
- UV stabalised clear polycarbonatelens.
- Corner bracket available, see page 132. C-BKT4-BLK.

T2-BLACK11t Medium Down Wall Lantern ART481B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



TG2-BLACK
11t Large Down Wall Lantern ART493B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



























TG8-BLACK

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.

T8-BLACK

1 It Medium Chain Lantern ART 481AB

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



TG8-BLACK

1lt Large Chain Lantern ART 493AB

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*























- Powder coated cast aluminium.
- UV stabilised Clear polycarbonate lens.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- Concreting anchor and support supplied**. (Art. 305)

T4-BLACK

1lt Medium Pillar ART 485B



TG5-BLACK

1 It Large Single Post ** ART 4127B





























T6-BLACK

Turin

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- **Concreting anchor and support supplied. (Art. 305)

T6-BLACK

2 It Medium Twin Lamp Post ART 482B

Max Wattage	2× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*





























Turin

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- ** Concreting anchor and support supplied. (Art. 305)

TG6-BLACK

2 It Large Twin Lamp Post ** ART 492B

Max Wattage	2×60WE27
Finish	Black
IP Rating	IP54
Warranty	5 years*



TG6-BLACK

























- Powder coated cast aluminium finished in black.
- Clear polycarbonate lens.
- V8 Steel Chain, powder coated.

V4-BLACK

1 It Medium Pillar Post ART 304B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



V8-BLACK

11t Medium Chain Lantern ART 351AB

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



V4-BLACK

























- Powder coated cast aluminium.
- UV stabalised clear polycarbonatelens.
- Hexagonal foot. Distance between the three holes is 20.5cm.
- **Concreting anchor and support supplied. (Art. 305)

V7-BLACK

3 It Medium Triple Head Lamp Post ** ART350B

Max Wattage	3× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



V6-BLACK 2 It Medium Twin Head Lamp Post ** ART350B

Max Wattage	2×60WE27
Finish	Black
IP Rating	IP54
Warranty	5 vears*























- Powder coated cast aluminium.
- UV stabalised clear polycarbonatelens.
- Hexagonal foot. Distance between the three holes is 20.5cm.
- ** Concreting anchor and support supplied. (Art. 305)

VG5-BLACK
11t Large Single Post ** ART301B

Max Wattagel × 60W E27 Finish.....Black IPRating.....IP54 Warranty.....5 years*





VG5-BLACK





















V3-BLACK

VG3-BLACK

- Powder coated cast aluminium.
- UV stabalised clear polycarbonate lens.

V3-BLACK

1 It Medium Pedestal ART 300B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



VG3-BLACK

1lt Large Pedestal ART 384B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*























- Powder coated cast aluminium.
- UV stabalised clear polycarbonate lens.
- For corner bracket, order C-BKT4-BLK. (See page 132 for details).

V2-BLACK

11t Medium Down Lantern ART 351B





V2-BLACK























- Powder coated cast aluminium.
- UV stabalised clear polycarbonatelens.
- For corner bracket, order C-BKT4-BLK. (See page 132 for details).

VG2-BLACK
11t Large Down Lantern ART381B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



























V1-BLACK



VG1-BLACK

- Powder coated cast aluminium.
- UV stabalised clear polycarbonatelens.
- For corner bracket order C-BKT4-BLK, (See page 132 for details).

V1-BLACK

1 It Medium Up Lantern ART350B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



VG1-BLACK

1lt Large Up Lantern ART 380B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



























Como

- Powder coated cast aluminium
- UV stabalised clear polycarbonatelens.
- ** C7-BLACK anchorkit supplied. (Art. 305)
- C2-optional corner bracket available, see page 132. C-BKT4-BLK.

C2-BLACK

1 It Wall Lantern ART370B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



C7-BLACK
3 It Triple Head Post ** ART 373B

Max Wattage	3×60WE27
Finish	Black
IP Rating	IP54
Warranty	5 years*



























F7-BLACK

Firenze

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.
- Hexagonal foot. 3 holes for anchoring. Distance between holes: 20.5cm.
- **Concreting anchor and support supplied. (Art. 305)

F7-BLACK

3 It Lamp Post ART 830B

Max Wattage	3× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*

























Firenze

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.
- Corner bracket available, order C-BKT4-BLK. (See details page 132).

F2-BLACK

1 It Wall Lantern ART 800B



























Firenze

- Powder coated cast aluminium.
- UV stabilised clear polycarbonate lens.

F8-BLACK

1 It Chain Lantern ART 800AB

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*





F8-BLACK



























B2-BLACK-C

Bologna

- Powder coated cast aluminium.
- Clear PMMA lens.
- For corner bracket order C-BKT4-BLK. (See page 132 for details).

B1-BLACK-C

1lt Up Wall Light ART 360B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*



B2-BLACK-C

1lt Down Wall Light ART 310B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 years*

























Bologna

- Powder coated cast aluminium.
- Clear PMMA lens.

B3-BLACK-C 1lt Pedestal

ART 312B

Max Wattage	1× 60W E27
Finish	Black
IP Rating	IP54
Warranty	5 vears*





B3-BLACK-C






















131

CORNER BRACKETS, ANCHOR KITS & CUSTOMISATION SERVICES

C-BKT4-BLACK

For Black wall models:


Bologna, Chelsea, Firenze, Turin & Valencia



C-BKT6-BLACK

For Black wall models:


Stockholm, Lund, Oslo & Vansbro



C-BKT8-GAL

For Galvanised wall models:

Stockholm, Lund & Vansbro



ANCHOR KIT (ART.205)

For models:

Halmstad, Stockholm, Alta & Scandinavian wood bollards




For models:


Chelsea, Bologna, Turin, Valencia, Como & Firenze


ANCHOR KIT (ART. 405)

For models:

Stockholm & Oslo







CUSTOMISATION SERVICES

If you require a customised specification for any of the models featured in this catalogue, please enquire with your supplier to see if these can be possible from the factory. Please allow approximately four to six weeks for the delivery of any customised factory order products, although when simple changes are required these times can be much faster.

Services available include:

Additional standard factory colour paint finishes such as:

- BLACK RAL 9005, White RAL 9003, Aluminium - RAL 9006, Graphite - RAL 7016
- Other colour finishes by request.
- Alternative lens options other than those shown, may be available upon request eg; opal, clear or smoked.
- Alternative colour temperatures of integrated LED modules may be available upon request.
- Reinforced galvanized metal foot accessories are available from the factory if required.

WARRANTY TERMS & CONDITIONS

- 1. The warranties mentioned cover all light fixtures in this Norlys Collection catalogue.
- 2. Warranty claims are to be registered with the manufacturer at elsteadlighting.com
- 3. The Producer does not bear any further liability and is not responsible for consequential loss, additional costs as a result of damages, additional costs for any mounting and dismounting of the lighting, delivery of the lighting to the Producer, sending back product not qualified to be covered by warranty, and responsibility of damages caused by unprofessional installation of the outdoor lighting.
- 4. Liability of the Producer is limited to the value of the product.
- 5. The warranty covers the following:

Anti-corrosion protection of light fixture elements – the warranty periods, which are determined by design version, are listed in the table below:

Product types	Warranty period
Wood parts on products	2 years
Products / parts with outsourced casting or finishing processes	3 years
Die-cast aluminium, Extruded aluminium, Painted steel	5 years
Galvanised steel products	8 years
Copper elements, 316L Marine Grade stainless steel	10 years

N.B. electrical components have 5 years warranty.

6. Warranty EXCLUSIONS:

- The warranty does not cover the following:
- Products damaged in transport.
- Improperly used products.
- Products installed inconsistently with the attached instruction manual.
- Products powered by electrical voltage different from that specified in the instruction manual.
- Products used with light bulbs with power exceeding that specified in the instruction manual.
- Damaged products due to power surges or discharges in the electrical network.
- Products damaged by forces of nature and natural disasters.
- Products installed in floodlands.
- Products used without protection from faeces of household animals (cats, dogs, etc.).
- Products mechanically damaged by the user when the integrity of the protective layer is broken (scratches, bends, dents, cracks, etc.).
- Products damaged by aggressive chemical agents.
- Products with cracks, local stains, resin leaks, or reduced UV resistance of polycarbonate lamp shades resulting from natural aging of the materials used in production (Scandinavian wood, PC lampshades).

7. GENERALTERMS OF USE:

- We strongly recommend that the products are installed by a qualified electrician.
- Freestanding light fixtures should be installed to the ground with appropriate NORLYS anchors.
- Do not wash the fixtures with strong (abrasive) cleaning agents or chemically aggressive liquids (specifically solvents).
- Do not clean with a pressure washer or high powered washer jet.
- Condensation is a natural phenomenon that occurs in certain atmospheric conditions. Moist warm air and cold meet and cause condensation of water inside the lamp/glass.
- All products are manufactured using high quality materials and designed for many years of service, providing the unit is cared for regularly as defined below under "Care Instruction".

MAXIMUM WATTAGE CONVERSION

LED	HALOGEN	GLS
8W	30W	40W
12W	46W	60W
15W	57W	75W
18W	77W	100W

Many Pro Exterior fixtures are equipped with E27 lampholders. Please see the table below for equivalencies between LED, Halogen, and GLS lamps to be used.



Color temperatures (Kelvin)

A	
ALTA	17
ASKER	31
В	
BASEL	73,75
BERLIN	55
BERN	69,71
BODEN	77
BOLOGNA	129, 131
BREMEN	57
С	
CHELSEA	83, 85, 87, 89, 91, 92, 93
COMO	123
F	
FIRENZE	125, 126, 127
G	
GENEVE	25
Н	
HALMSTAD	18, 19, 21

L
LUND5
M
MALAGA95,96
MANDAL 79
MOSS
0
OSLO
S
SANDVIK27
STOCKHOLM 35, 37, 39, 41, 42, 43, 45
T
TURIN
TURIN11
V
VALENCIA
VANSBRO 53
VASA



Scan this QR to direct you to our online catalogue download page



ALTA-L-E27-BLK	17	MANDAL-DN-BLK	79
ALTA-M-E27-BLK	17	MANDAL-DN-GAL	79
ASKER-UD-E27-GRA	31	MANDAL-UD-BLK	79
B1-BLACK-C	129	MANDAL-UD-GAL	79
B2-BLACK-C	129	MOSS-WALL-GR	29
B3-BLACK-C	131	OS2-BLACK-C	49
BASEL-E27-BLK-C	75	OS6-BLACK-C	47
BASEL-E27-BLK-F	73	OS8-BLACK-C	49
BASEL-E27-S-S-C	75	SANDVIK-LED1-GR	27
BASEL-E27-S-S-F	73	SANDVIK-LED2-GR	27
BERLIN-E27-BLK-O	55	STI-BLACK	39
BERN-E27-BLK-C	71	ST1-GALVANIZED	41
BERN-E27-BLK-F		ST1-G-BLK	39
BERN-E27-S-S-C	71	ST1-G-GAL	41
BERN-E27-S-S-F	69	ST3-BLACK	43
BODEN-E27-BLK-C		ST3-GALV	42
BODEN-E27-BLK-O		ST3-G-BLACK	
BREMEN-E27-GAL-O		ST3-G-GAL	
C2-BLACK		ST5-G-BLACK	
C7-BLACK		ST5-G-GALV	
CS1-COPPER		ST-FLU-E27-BLK-C	
CS2-COPPER		ST-FLU-E27-BLK-O	
CS3-COPPER		ST-FLU-E27-GAL-C	
CS6-COPPER		ST-FLU-E27-GAL-O	
CS7-2-COPPE		TI-BLACK	
CS7-COPPER		T2-BLACK	
CS8-COPPER		T3-BLACK	
CSGI-COPPER		T4-BLACK	
CSG3-COPPER		T6-BLACK	
CSG5-COPPER		T7-2-BLACK	
CSG-HO		T8-BLACK	
		T9-BLACK	
F2-BLACKF7-BLACK		TG1-BLACK	
F8-BLACK		TG2-BLACK	
GENEVE-E27-GRA		TG3-BLACK	
H-STAD-L-E27-BLK		TG5-BLACK	
H-STAD-M-E27-BLK		TG6-BLACK	
H-STAD-S-E27-BLK		TG8-BLACK	
H-STADSW-L-E27-B		V1-BLACK	
H-STADSW-M-E27-B		V2-BLACK	
LOFOTEN3-BLK		V3-BLACK	
LOFOTEN4-BLK		V4-BLACK	
LOFOTEN7-BLK		V6-BLACK	
LOFOTEN8-BLK		V7-BLACK	
LOFOTEN-DOWN-BLK	59, 61	V8-BLACK	
LOFOTEN-F1-BLK		V9-BLACK	
LOFOTEN-F2-BLK		VANSBRO-BLK	
LUND-BLACK-C		VANSBRO-GAL	
LUND-GAL-C		VASA-E27-GRA	
M8-2-MINI-BLACK		VG1-BLACK	
M8-2-MINI-WHITE	96	VG2-BLACK	119
M8-BLACK	95	VG3-BLACK	117
M8-WHITE	96	VG5-BLACK	116



♪ NORLY

UK & IRELAND DISTRIBUTO

elsteadlighting.co enquiries@elsteadlighting.com - Tel: 0

ELSTEAD HEAD OFFICE

Elstead Lighting Ltd. Elstead House, Mill Lane Alton, Hampshire GU342QJ

T: +44(0)142082377

E: enquiries@elsteadlighting.com

ELST

Elstead Lighti Bandon Retai The Bypass, Cork, Ireland

T: +353 2388 54500

E: sales@elsteadlighting.ie



CAT-NORLYS25-A4