




EGLO
my fan | my style



2024/25

Air Movement

New Release

DC WALL CONTROL

Suits all current EGLO DC ceiling fans
See P 158 for more details.



Contents

Air Movement Collection	P. 002
Ceiling Fan Overview	P. 004
Sizing To Suit Your Room	P. 007
Why Choose EGLO Fans	P. 008
Ceiling Fans	P. 010
Exhaust/Heat/Light	P. 166
Index & Legend	P. 174

Air Movement Collection

NEW



ALOHA 48
p. 10 - 11

NEW



ALOHA 52
p. 12 - 13

NEW



ALOHA LIGHT KIT
p. 14 - 15



STRADBROKE 48
p. 16 - 19



STRADBROKE 52
P. 20 - 23



BONDI 48
P. 24 - 27



BONDI 52
P. 28 - 31



SURF 48
P. 32 - 35



SURF 52
P. 36 - 39



SURF 60
P. 40 - 43



SURF 48 TIMBER
P. 44 - 47



SURF 52 TIMBER
P. 48 - 51



SURF 60 TIMBER
P. 52 - 55



NOOSA 40
P. 56 - 59



NOOSA 46
P. 60 - 63



NOOSA 52
P. 64 - 67



NOOSA 60
P. 68 - 71



NOOSA 52 TIMBER
P. 72 - 75



NOOSA 60 TIMBER
P. 76 - 79



TORQUAY 48
P. 80 - 83



TORQUAY 56
P. 84 - 87



CABARITA
P. 88 - 89



ILUKA 52
P. 90 - 93



ILUKA 60
P. 94 - 97



ILUKA 52 HUGGER
P. 98 - 101



ILUKA 60 HUGGER
P. 102 - 105



SEACLIFF 44
P. 106 - 113



SEACLIFF 52
P. 114 - 121

NEW



KURRAWA 60
P. 122 - 125

NEW



KURRAWA 72
P. 126 - 129

NEW



CURRUMBIN 60
P. 130 - 131

NEW



CURRUMBIN 80
P. 132 - 133

NEW



CURRUMBIN 100
P. 134 - 135

NEW



CURRUMBIN LIGHT KIT
P. 136 - 137



TOURBILLION 60
P. 138 - 141



TOURBILLION 80
P. 142 - 145

NEW



TOURBILLION 100
P. 146 - 149



TOURBILLION LIGHT KIT
P. 150 - 151



WAIKIKI
P. 152 - 155



WAIKIKI LIGHT KIT
P. 156 - 157

NEW



DC WALL CONTROL
P. 158

NEW



REMOTE KITS
P. 159



SMART KITS
P. 160 - 161



ANGLE CANOPIES
P. 162 - 163



DOWNRODS
P. 164 - 165



SAMBA
P. 166 - 167



VESUVIUS
P. 168 - 169



HEATFLOW
P. 170 - 171



INFERNO
P. 172 - 173

Ceiling Fan Overview

MODEL	PAGE	MOTOR	HOUSING	BLADE	LOCATION	CONTROL
ALOHA	P. 10 - 15	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Wall Control Included Smart Enabled Remote Accessory
BONDI	P. 24 - 31	AC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Wall Control Included Smart Compatible Remote Accessory
CABARITA	P. 88 - 89	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
CURRUMBIN	P. 130 - 137	DC	Steel	Plantation Timber	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
ILUKA	P. 90 - 105	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
KURRAWA	P. 122 - 129	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor IP55 Rated Coastal Areas	Remote Control Wall Control Adaptable
NOOSA	P. 56 - 79	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible Wall Control Adaptable
SEACLIFF	P. 106 - 121	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
STRADBROKE	P. 16 - 23	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
SURF	P. 32 - 55	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible Wall Control Adaptable
TORQUAY	P. 80 - 87	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Wall Control Adaptable
TOURBILLION	P. 138 - 151	DC	Steel	Aluminium	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible Wall Control Adaptable
WAIKIKI	P. 152 - 157	AC	Steel	Plywood	Indoor	Wall Control Included Pull Cord Remote Accessory

*Fan must be installed in appropriately covered outdoor locations where the fan is fully undercover, and a minimum of 1.5m distance from the edge of the blades to the edge of the roof. This fan is not waterproof. In some more tropical areas of Australia, it is suggested you increase the distance from the fan to the edge of the roof for maximum protection.

LIGHT OPTION	SIZE											FINISH	
	40"	42"	44"	46"	48"	50"	52"	56"	60"	72"	80"		100"
24W LED Light Accessory Tri-colour Dimmable					●		●						
20W Tri-colour LED Step Dimmable					●		●						
No Light Option						●							
18W LED Light Accessory Tri-colour Dimmable									●		●	●	
20W Tri-colour LED Dimmable							●		●				
18W Tri-colour LED Dimmable									●	●			
18W Tri-colour LED Dimmable	●			●			●		●				
20W Tri-colour LED Dimmable			●				●						
20W Tri-colour LED Step Dimmable					●		●						
20W Tri-colour LED Dimmable					●		●		●				
20W Tri-colour LED Step Dimmable		●			●			●					
18W LED Light Accessory Tri-colour Step Dimmable									●		●	●	
3x E27 Light Accessory							●						




Currumbin

DC ceiling fan in white matt finish and natural plantation timber blades.

Sizing to Suit YOUR ROOM

Choose a fan that is appropriately sized to ensure both energy efficiency and aesthetic balance in the room. Opting for a slightly larger fan can often achieve the same airflow at lower speeds, resulting in quieter and more energy-efficient operation. Measure your room size to select the right fan size from the provided table; for very large rooms, consider using multiple fans for optimal effectiveness.



Room Size (m²)

Fan Size (Inches)

Fan Size (cm)

< 7 m²

27" – 35"

70 cm – 90 cm

7 m² – 13 m²

35" – 39"

90 cm – 100 cm

13 m² – 20 m²

39" – 44"

100 cm – 112 cm

20 m² – 27 m²

44" – 53"

112 cm – 137 cm

27 m² – 34 m²

> 53"

>137 cm

Winter Mode

EGLO CEILING FANS CAN BE OPTIMISED ALL YEAR ROUND



In reverse mode, our fans pull down warmer air from the ceiling to balance room temperature. During winter, this allows you to lower thermostat settings on other heating devices, saving up to 10% on energy costs.



Alternative Controls

CONVENIENTLY CONTROL YOUR FAN, YOUR WAY.

Whether you prefer controlling your fan from a fixed wall control panel, having a remote or using your smart device, all our ceiling fans offer alternative controls to suit your lifestyle (sold separately).

Why choose Eglo fans?



Environmentally Sustainable PACKAGING

Most of our ceiling fans come with an egg carton-style packaging insert and recyclable parts packets, making them more eco-friendly and easier to dispose of than polyfoam.

We've been phasing out polyfoam over the past two years and plan to eliminate it entirely from our product range by 2025.

Energy Saving

EGLO CEILING FANS ARE ENERGY EFFICIENT



Our fans allow for more sustainable electricity usage, by working with existing air conditioning to reduce your energy and environmental footprint.

Budget Friendly

EGLO CEILING FANS CAN HELP YOU SAVE MONEY



Our ceiling fans are inexpensive to operate, providing a cost-effective cooling solution year-round. Enjoy a comfortable indoor environment without overspending!





Reliable

All EGLO fans and accessories are manufactured to provide years of reliable and dependable operation, year after year.

Whisper Quiet

EGLO fans are whisper-quiet, making them perfect for bedrooms and shared spaces where minimising noise is essential.

High Quality

EGLO products are manufactured using only the highest quality materials to ensure maximum performance.

Extensive Warranty

EGLO products come with a comprehensive warranty, giving you peace of mind for years to come.

Something for **EVERYONE**

Whether you need a fan for your bedroom or outdoor space, we have options for everyone. Choose from various sizes, with or without integrated LED lighting, IP55-rated fans, and coastal-rated designs. With styles ranging from modern to classic, we have the perfect fan for any home.



Aloha

DC ceiling fan in white matt finish.



**WALL
CONTROL
INCLUDED**

ALOHA

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20663101

Housing

ABS, UV Resistant, white matt

Blades


ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



20663102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



35W



13,085
m³/h



control



adaptable



smart
enabled



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	1220	48.0
B	323	12.7
C	300	11.8
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
1	55	3,062
2	90	5,010
3	125	6,960
4	165	9,187
5	200	11,135
High Speed	235	13,085

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 15

	Compatible	Page
Remote Control	Yes	Page 159
Smart Compatible	Enabled	N/A
Wall Control	Included	N/A



Aloha

DC ceiling fan in black matt finish.



**WALL
CONTROL
INCLUDED**

ALOHA

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY


20663201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately

20663202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



45W



14,069
m³/h



control



adaptable



smart
enabled



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	1320	52
B	323	12.7
C	300	11.8
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
1	50	3,198
2	80	5,116
3	115	7,355
4	145	9,273
5	180	11,511
High Speed	220	14,069

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 15

	Compatible	Page
Remote Control	Yes	Page 159
Smart Compatible	Enabled	N/A
Wall Control	Included	N/A



Light Kit

Aloha LED light kit installed on a 48"
Aloha ceiling fan.

ALOHA LIGHT KIT

5
YEAR
WARRANTY



20663501
ABS, white matt



20663502
ABS, black matt

Dimensions



	mm	inches
A	195	7.7
B	55	2.2

LED

24W



1900lm/
2100lm/
2000lm



dimnable



Stradbroke

DC ceiling fan in white matt finish.



STRADBROKE 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20491401

Housing
steel, white matt

Blades

ABS, UV Resistant, white matt



20491402

Housing
steel, black matt

Blades

ABS, UV Resistant, black matt



20491404

Housing
steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510
m³/h



6 speed



15°



construct



30min/
1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

STRADBROKE 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20491601

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20491602

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20491604

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,510
m³/h



15°



6 speed



construct



20W



2300lm



step
dim



1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Stradbroke

DC ceiling fan in black matt finish with tri-colour LED light.





Stradbroke
DC ceiling fan in black matt finish.



STRADBROKE 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20491501

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20491502

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20491504

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,820
m³/h



6 speed



15°



construct



30min/
1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

STRADBROKE 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20491701

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20491702

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20491704

Housing
steel, titanium

Blades
ABS, UV Resistant, titanium



28 W



10,820
m³/h



15°



6 speed



construct



20W



2300lm



step
dim



1/2/4/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Stradbroke

DC ceiling fan in titanium finish with tri-colour LED light.





Bondi

AC ceiling fan in white matt finish.

BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203619

Housing

ABS, UV Resistant, white matt

Blades


ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203621

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204739

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W



13,390
m³/h



smart
compatible



15°



construct



use



quick
connect



control




adaptable



reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Kit	Yes	Page 159
Smart Compatible	Yes	Page 160
Wall Control	Included	N/A

BONDI 48

Ø 48" / 1220 mm

6 3
YEAR PRODUCT IN-HOME
WARRANTY

203622

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203623

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204741

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56 W



13,390
m³/h



smart
compatible



15°



construct



20 W



1750lm/
2100lm/
2000lm



step
dim



use



control




adaptable



reversible

Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390


Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Kit	Yes	Page 159
Smart Compatible	Yes	Page 160
Wall Control	Included	N/A



Bondi

AC ceiling fan in black matt finish with tri-colour LED light.



Bondi

AC ceiling fan in black matt finish.

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203624

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203625

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204742

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W



13,303
m³/h



smart
compatible



15°



construct



use



quick
connect



control




adaptable



reversible

Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m³/h
1	95	5,103
2	150	9,364
3	205	13,303

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Kit	Yes	Page 159
Smart Compatible	Yes	Page 160
Wall Control	Included	N/A

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

203626

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



wall control
Included



remote control
sold separately



203627

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204743

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60 W



13,303
m³/h



smart
compatible



15°



construct



20 W



1750lm/
2100lm/
2000lm



step
dim



use



control




adaptable



reversible

Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m³/h
1	95	5,103
2	150	9,364
3	205	13,303

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Kit	Yes	Page 159
Smart Compatible	Yes	Page 160
Wall Control	Included	N/A



Bondi

AC ceiling fan in titanium finish with tri-colour LED light.





Surf

DC ceiling fan in white matt finish.



SURF 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549601

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20549602

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20549701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20549702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions




	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130


Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf

DC ceiling fan in black matt finish with tri-colour LED light.



Surf

DC ceiling fan in white matt finish.

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20549802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,743
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20549901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20549902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,743
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf

DC ceiling fan in black matt finish with tri-colour LED light.



Surf

DC ceiling fan in black matt finish.

SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20550101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20550102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14,194
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m³/h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20550201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20550202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14194
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf

DC ceiling fan in white matt finish with tri-colour LED light.





Surf Timber

Dc ceiling fan in white matt and oak finish.



SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549616

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20549617

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,130
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549716

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20549717

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,130
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf Timber

DC ceiling fan in black matt and burmese teak finish with tri-colour LED light.





Surf Timber

DC ceiling fan in black matt and burmese teak finish.



SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549816

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20549817

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,743
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20549916

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20549917

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13,743
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf Timber

DC ceiling fan in white matt and oak finish with tri-colour LED light.





Surf Timber

Dc ceiling fan in white matt and oak finish.

SURF TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20550116

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20550117

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14,194
m³/h



6 speed



smart
compatible



15°



construct



mode



30min/
1/2/4/8 h



use




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

SURF TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20550216

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



20550217

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14194
m³/h



6 speed



smart
compatible



15°



construct



20W



2000lm



dimmable




2/8 h



reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Surf Timber

DC ceiling fan in black matt and burmese teak finish with tri-colour LED light.



Noosa

DC ceiling fan in black matt finish.

RECOMMENDED CHOICE 2021

RECOMMENDED CHOICE 2022

RECOMMENDED CHOICE 2023

NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204781

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204782

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



15,650
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204787

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204788

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



15,650
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Noosa

DC ceiling fan in white matt finish with tri-colour LED light.





Noosa

DC ceiling fan in black matt finish.



NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204794

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204795

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



14,620
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

204801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



204802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



14,620
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

Noosa

DC ceiling fan in white matt finish with tri-colour LED light.





Noosa

DC ceiling fan in white matt finish.



NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

203371

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



203369

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



24 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

202971

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



202969

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Noosa

DC ceiling fan in black matt finish with tri-colour LED light.





Noosa

DC ceiling fan in black matt finish.



NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

203373

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



203372

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m³/h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

202973

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



202972

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Noosa

DC ceiling fan in white matt finish with tri-colour LED light.





Noosa Timber

DC ceiling fan in white matt and blackbutt finish.



NOOSA TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20684716

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, blackbutt



20684707

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, new teak



24 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

Optional accessories

Optional accessories	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20684816

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, blackbutt



20684807

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, new teak



24 W



13,280
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimmable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Noosa Timber

DC ceiling fan in black matt and new
teak finish with tri-colour LED light.





Noosa Timber

DC ceiling fan in black matt and new teak finish.



NOOSA TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20684916

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, blackbutt



20684907

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, new teak



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



quick
connect



1/2/4/8 h



mode




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158

NOOSA TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20685116

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, blackbutt



remote control
Included



wall control
sold separately

20685107

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, new teak



38 W



14,346
m³/h



6 speed



smart
compatible



8°



construct



18 W



2000lm



dimnable



2/8 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Noosa Timber

DC ceiling fan in white matt and blackbutt finish with tri-colour LED light.





Torquay

DC ceiling fan in oil rubbed bronze and koa finish.



TORQUAY 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522701

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20522702

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20522712

Housing
steel, oil rubbed bronze

Blades
ABS, UV Resistant, koa



33 W



12,091
m³/h



6 speed



13°



construct



30min/
1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	1220	48.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

TORQUAY 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522801

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20522802

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt

20522812

Housing
steel, oil rubbed bronze

Blades
ABS, UV Resistant, koa



33 W



12,091
m³/h



6 speed



13°



construct



20W



2100lm/
2300lm/
2200lm



step
dim



1/2/4/8 h




use



reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Torquay

DC ceiling fan in white matt finish with tri-colour LED light.





Torquay

DC ceiling fan in black matt finish.



TORQUAY 56

Ø 56" / 1422mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately

20522901

Housing
steel, white matt

Blades

ABS, UV Resistant, white matt



20522902

Housing
steel, black matt

Blades

ABS, UV Resistant, black matt



20522912

Housing
steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



35 W



12,961
m³/h



6 speed



13°



construct



30min/
1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	1422	56.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

TORQUAY 56

Ø 56" / 1422mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20523101

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20523102

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



20523112

Housing
steel, oil rubbed bronze

Blades
ABS, UV Resistant, koa



35 W



12,961
m³/h



6 speed



13°



construct



20W



2100lm/
2300lm/
2200lm



step
dim



1/2/4/8 h




use



reversible

Dimensions



	mm	inches
A	1422	56.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

Torquay

DC ceiling fan in oil rubbed bronze and koa finish with tri-colour LED light.





Cabarita

DC ceiling fan in white matt finish.

CABARITA

Ø 50" / 1270 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

204351

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately

204353

Housing
steel, white matt

Blades
ABS, UV Resistant, bamboo



35 W



10,080
m³/h



6 speed



13°



construct



1/4/8 h



mode




quick
connect



reversible

Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.8
D	164	6.4
E	90	3.5

Airflow

Speed	RPM	m ³ /h
1	78	2,520
2	102	3,840
3	118	5,290
4	137	6,170
5	160	7,920
6	174	10,080

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Huka

DC ceiling fan in white matt finish.



ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20537701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20537702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537715

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



13°



construct



quick
connect



1/2/4/6/8 h




use



reversible

Dimension



	mm	inches
A	1320	52.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20537801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20537802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537815

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



13°



construct



20W



2500lm



dimmable



1/4 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Aluka

DC ceiling fan in black matt finish with tunable white LED light.





Huka

DC ceiling fan in black matt and rustic timber finish.



ILUKA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20537901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20537902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537915

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



13°



construct



quick
connect



1/2/4/6/8 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

ILUKA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



included
wall control
sold separately

20538101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538115

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



13°



construct



20W



2500lm



dimmable



1/4 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Aluka

DC ceiling fan in black matt and rustic timber finish with tunable white LED light.





Huka Hugger

DC low profile ceiling fan in black matt finish.



ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20538201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538215

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



construct



suitability



quick
connect




1/2/4/6/8 h



reversible

Dimensions



	mm	inches
A	1320	52.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



included
wall control
sold separately

20538301

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538302

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538315

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



construct



suitability



20W



2500lm



dimmable



1/4 h




use



reversible

Dimensions



	mm	inches
A	1320	52.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Huka Hugger

DC low profile ceiling fan in white matt finish with tunable white LED light.





Huka Hugger

DC low profile ceiling fan in black matt finish.



ILUKA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20538401

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538402

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538415

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



construct



suitability



quick
connect




1/2/4/6/8 h



reversible

Dimensions



	mm	inches
A	1520	60.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

ILUKA 60

Ø 60" / 1520 mm



remote control
Included



included
wall control
sold separately

20538501

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20538502

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538515

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



construct



suitability



20W



2500lm



dimmable



1/4 h




use



reversible

Dimensions



	mm	inches
A	1520	60.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Nuka Hugger

DC low profile ceiling fan in black matt and rustic timber finish with tunable white LED light.





Seacliff

DC low profile ceiling fan in white matt finish.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20523401

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



remote control
Included



wall control
sold separately



20523402

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



16 W



9,270
m³/h



6 speed



construct



suitability



30min/
1/2/4/8h




quick
connect



reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Angle Canopy No N/A

Extension Rods No N/A

Light Kit No N/A

Compatible Page

Remote Control Included N/A

Smart Compatible No N/A

Wall Control Yes Page 158

Seacliff

DC low profile ceiling fan in white black matt and light walnut finish.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20523405

Housing
steel, white matt

Blades
ABS, UV Resistant, gessami oak finish



remote control
Included

wall control
sold separately

20523406

Housing
steel, black matt

Blades
ABS, UV Resistant, light walnut finish



16 W



9,270
m³/h



6 speed



construct



suitability



30min/
1/2/4/8h




quick
connect



reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523601

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20523602

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



16 W



9,270
m³/h



6 speed



construct



suitability



15W



1750lm



dimmable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Seacliff

DC low profile ceiling fan in black matt finish with tri-colour LED light.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



20523605

Housing
steel, white matt

Blades
ABS, UV Resistant, gessami oak finish



20523606

Housing
ABS, UV Resistant, black matt

Blades
ABS, UV Resistant, light walnut finish



16 W



9,270
m³/h



6 speed



construct



suitability



15W



1750lm



dimmable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Seacliff

DC low profile ceiling fan in white matt and gessami oak finish with tri-colour LED light.





Seacliff

DC low profile ceiling fan in white matt finish.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately



20523501

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20523502

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



28 W



11,895
m³/h



6 speed



construct



suitability



30min/
1/2/4/h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Seacliff

DC low profile ceiling fan in black matt and light walnut finish.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20523505

Housing
steel, white matt

Blades
ABS, UV Resistant, gessami oak finish



remote control
Included



wall control
sold separately



20523506

Housing
steel, black matt

Blades
ABS, UV Resistant, light walnut finish



28 W



11,895
m³/h



6 speed



construct



suitability



30min/
1/2/4/8h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20523701

Housing
steel, white matt

Blades
ABS, UV Resistant, white matt



20523702

Housing
steel, black matt

Blades
ABS, UV Resistant, black matt



28 W



11,895
m³/h



6 speed



construct



suitability



15W



1750lm



dimmable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Angle Canopy No N/A

Extension Rods No N/A

Light Kit No N/A

Compatible Page

Remote Control Included N/A

Smart Compatible No N/A

Wall Control Yes Page 158



Seacliff

DC low profile ceiling fan in black matt finish with tri-colour LED light.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20523705

Housing
steel, white matt

Blades
ABS, UV Resistant, gessami oak finish



20523706

Housing
steel, black matt

Blades
ABS, UV Resistant, light walnut finish



28 W



11,895
m³/h



6 speed



construct



suitability



15W



1750lm



dimmable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Angle Canopy	No	N/A
Extension Rods	No	N/A
Light Kit	No	N/A

Compatible Page

Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Seacliff


DC low profile ceiling fan in white matt and gessami oak finish with tri-colour LED light.





Kurrawa

DC ceiling fan in black matt finish.



IP55
TROPICALLY
RATED

KURRAWA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20618701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20618702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38W



15,558
m³/h



6 speed



construct



1/2/4/8 h



use



IP55
(coastal)




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	319	15.6
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Optional accessories	Compatible	Page
Angle Canopy	Yes*	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

* Voids IP55 Rating

KURRAWA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20618801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20618802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



38W



14,526
m³/h



6 speed



construct



18W



2100lm/
2300lm/
2200lm



dimmable



2/8 h




IP55
(coastal)



reversible

Dimensions



	mm	inches
A	1520	60.0
B	329	13.0
C	306	12.0
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	65	4,969
1	80	5,841
2	105	7,793
3	140	9,703
4	165	12,069
5	190	14,526

Optional accessories	Compatible	Page
Angle Canopy	Yes*	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Kurrava


DC ceiling fan in white matt finish with tri-colour LED light.





Kurrawa

DC ceiling fan in white matt finish.



IP55
TROPICALLY
RATED

KURRAWA 72

Ø 72" / 1830 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20618901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20618902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40W



15,558
m³/h



6 speed



construct



1/2/4/8 h



use



IP55
(coastal)




quick
connect



reversible

Dimensions



	mm	inches
A	1830	72.0
B	319	12.6
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Optional accessories	Compatible	Page
Angle Canopy	Yes*	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

* Voids IP55 Rating

KURRAWA 72

Ø 72" / 1830 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately

20619101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



20619102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40W



15,558
m³/h



6 speed



construct



18W



2100lm/
2300lm/
2200lm



dimmmable



2/8 h




IP55
(coastal)



reversible

Dimensions



	mm	inches
A	1830	72.0
B	329	13.0
C	312	12.3
D	160	6.3
E	79	3.1

Airflow

Speed	RPM	m ³ /h
night mode	60	6,438
1	70	6,708
2	90	9,100
3	110	11,206
4	130	13,764
5	145	15,558

Optional accessories	Compatible	Page
Angle Canopy	Yes*	Page 162
Extension Rods	Yes	Page 164
Light Kit	No	N/A

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Kurrawa


DC ceiling fan in black matt finish with tri-colour LED light.





Currumbin

DC ceiling fan in white matt finish and natural plantation timber blades.



CURRUMBIN 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY




remote control
Included



wall control
sold separately

20619221

Housing
Steel, white matt
Blades
Plantation timber, natural



20619228

Housing
Steel, black matt
Blades
Plantation timber, merbau



32W



12,886
m³/h



6 speed



adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	1520	60.0
B	380	15.0
C	372	14.6
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	65	4,602
1	80	5,147
2	100	6,428
3	130	8,355
4	156	10,665
5	182	12,886

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 136

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Curumbin

DC ceiling fan in black matt finish and merbau plantation timber blades.

CURRUMBIN 80

Ø 80" / 2030 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)

20619321

Housing
Steel, white matt
Blades
Plantation timber, natural



20619328

Housing
Steel, black matt
Blades
Plantation timber, merbau



42W



17,544
m³/h



6 speed



adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	2030	80.0
B	380	15.0
C	379	14.9
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	60	9,747
1	70	11,343
2	80	13,041
3	90	14,461
4	100	15,979
5	108	17,544

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 136

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Curumbin

DC ceiling fan in white matt finish and natural plantation timber blades.

CURRUMBIN 100

Ø 100" / 2540 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20619421

Housing
Steel, white matt
Blades
Plantation timber, natural



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)

20619428

Housing
Steel, black matt
Blades
Plantation timber, merbau



44W



31,619
m³/h



6 speed



adaptable



2/8 h




quick
connect



reversible

Dimensions



	mm	inches
A	2540	100.0
B	380	15.0
C	381	15.0
D	168	6.6
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	54	21,306
1	59	23,122
2	65	24,221
3	71	26,419
4	76	28,517
5	81	31,619

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 136

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

CURRUMBIN LIGHT KIT

5
YEAR
WARRANTY




20619501
steel, white matt



20619502
steel, black matt

Dimensions



	mm	inches
A	195	7.7
B	55	2.2

LED

18W



2300lm/
2500lm/
2400lm



Replacable
LED



Dimmable



Light Kit

Currumbin LED light kit installed on a 60" Currumbin ceiling fan.





Tourbillion

DC ceiling fan in black matt finish.

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

203367

Housing
steel, white matt

Blades
aluminium, white matt



202964

Housing
steel, black matt

Blades
aluminium, black matt



remote control
Included



wall control
sold separately



Includes 200mm & 600mm downrods
(colour to suit)



47 W



16,220 m³/h



5 speed



smart compatible



adaptable



1/2/4/8 h



quick connect




use



reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Tourbillion

DC ceiling fan in titanium finish.



TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

206183

Housing
steel, oil rubbed bronze
Blades
aluminium, oil rubbed bronze



204807

Housing
steel, titanium
Blades
aluminium, titanium



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



47 W



16,220
m³/h



5 speed



smart
compatible



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Tourbillion
DC ceiling fan in white matt finish.

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

203368

Housing
steel, white matt

Blades
aluminium, white matt



202966

Housing
steel, black matt

Blades
aluminium, black matt



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



58 W



21,270
m³/h



5 speed



smart
compatible



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Tourbillion

DC ceiling fan in oil rubbed bronze finish.

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

206184

Housing
steel, oil rubbed bronze

Blades
aluminium, oil rubbed bronze



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



204808

Housing
steel, titanium

Blades
aluminium, titanium



58 W



21,270
m³/h



5 speed



smart
compatible



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	Yes	Page 160
Wall Control	Yes	Page 158



Tourbillion

DC ceiling fan in matt white finish.

TOURBILLION 100

Ø 100" / 2540 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)

20618601

Housing

steel, white matt

Blades

aluminium, white matt

20618602

Housing

steel, black matt

Blades

aluminium, black matt



100W



54,533
m³/h



5 speed



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m ³ /h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158



Tourbillion

DC ceiling fan in titanium finish.

TOURBILLION 100

Ø 100" / 2540 mm

20618604

Housing
steel, titanium

Blades
aluminium, titanium



remote control
Included



wall control
sold separately



Includes 200mm &
600mm downrods
(colour to suit)



100W



54,533
m³/h



5 speed



adaptable



1/2/4/8 h



quick
connect




use



reversible

Dimensions



	mm	inches
A	2540	100.0
B	458	18.0
C	402	15.8
D	168	6.6
E	70	2.8

Airflow

Speed	RPM	m ³ /h
1	55	35,957
2	64	40,605
3	71	45,437
4	83	50,028
5	91	54,533

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 150

	Compatible	Page
Remote Control	Included	N/A
Smart Compatible	No	N/A
Wall Control	Yes	Page 158

TOURBILLION LIGHT KIT

5
YEAR
WARRANTY



TRI
COLOUR
2150lm

205564
steel, white matt / acrylic, opal



TRI
COLOUR
2150lm

205563
steel, black matt / acrylic, opal



TRI
COLOUR
2150lm

205565
steel, titanium / acrylic, opal



TRI
COLOUR
2150lm

206185
steel, oil rubbed bronze / acrylic, opal

Dimensions



	mm	inches
A	225	8.9
B	65	2.6

LED

18W

STEP
DIMMING

Step
dim

REPLACEABLE
LED

Replaceable
LED

QUICK
CONNECT

Quick
connect



Light Kit

Tourbillion LED light kit installed on a black matt Tourbillion ceiling fan.



Waikiki

AC ceiling fan in black matt finish.

WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



wall control
Included



remote control
sold separately

20518101

Housing
steel, white matt
Blades
plywood, white matt



20518102

Housing
steel, black matt
Blades
plywood, black matt



62 W



9,830
m³/h



13°



control



control



adaptable




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 156

	Compatible	Page
Remote Control	Yes	Page 159
Smart Compatible	No	N/A
Wall Control	Included	N/A



Waikiki

AC ceiling fan in brass matt and white matt finish.

WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20518111

Housing
steel, brass matt
Blades
plywood, white matt



wall control
Included



remote control
sold separately



20518109

Housing
steel, antique bronze
Blades
plywood, walnut



20518108

Housing
steel, satin nickel
Blades
plywood, washed oak



62 W



9,830
m³/h



13°



control



control



adaptable




quick
connect



reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Optional accessories	Compatible	Page
Angle Canopy	Yes	Page 162
Extension Rods	Yes	Page 164
Light Kit	Yes	Page 156

	Compatible	Page
Remote Control	Yes	Page 159
Smart Compatible	No	N/A
Wall Control	Included	N/A

WAIKIKI LIGHT KIT

2
YEAR
WARRANTY



20518401
steel, white matt
glass, frosted



20518402
steel, black matt
glass, frosted



20518408
steel, satin nickel
glass, frosted



20518409
steel, antique bronze
glass, frosted

Dimensions



	mm	inches
A	374	14.7
B	161	6.3



20518411
steel, brass matt
glass, frosted

Compatible

Page

max.
3x40W



max. 3x E27
3 x 40W (not included)



Light Kit

Waikiki light kit installed on an antique bronze Waikiki ceiling fan.

DC WALL CONTROL

1
YEAR
WARRANTY

206222

DC Wall Control
Suits current EGLO DC
ceiling fans

H 116, W 34, L 76

DISPLAY

Back lit LED display for wide angle viewing at any ambient light level

AIR MOVEMENT

Increase or decrease airflow, and turn fan on or off

LIGHT

Switch your fan light on or off, and control light brightness (dimmable fan light models only)

FORWARD/ REVERSE


Change the direction of the fan according to summer or winter use

TIMER

Set a timer from 1H to 9H (actual timer settings dependent on specific fan model)

ADDITIONAL FUNCTIONS

Additional functions such as Natural Breeze and auto temperature control (actual additional functions dependent on specific fan model)



DC wall control compatible with current EGLO DC ceiling fans. Conveniently control the light and air movement of your ceiling fan from a mains powered wall control instead of remote.

240V
MAINS
POWERED

240V mains
powered

SUITS
STANDARD
WALL
PLATES

suits
standard
plates

AUTO
SPEED
CONTROL

auto speed
control

SUITS
EGLO DC
FANS

suits EGLO
DC fans

TIMER

timer
function

REMOTE CONTROL

1
YEAR
WARRANTY



206637

Remote Kit

Suits all Aloha ceiling fans

H 120, W 43



Timer



Dimmable



Natural
Breeze



205127

Remote Kit

Suits all Bondi ceiling fans



batteries
included



batteries
included



2/4/8h



wall holder
included

SPEED	BONDI 48	BONDI 52
1	2,390 m ³ /h	2,542 m ³ /h
2	8,058 m ³ /h	7,125 m ³ /h
3	10,140 m ³ /h	9,145 m ³ /h
4	13,390 m ³ /h	14,259 m ³ /h

Air movement volumes above will supercede quoted air movements on Bondi fan packaging, ie. compared to what they would be with the included wall control. The lowest speed allows for a slower "night mode". This is due to a change in speed capacitor within the receiver.



205222

Remote Kit

Suits all Waikiki ceiling fans



batteries
included



batteries
included



2/4/8h



wall holder
included

SPEED	WAIKIKI
1	2,535 m ³ /h
2	4,160 m ³ /h
3	7,295 m ³ /h
4	9,832 m ³ /h

Air movement volumes above will supercede quoted air movements on Waikiki fan packaging, ie. compared to what they would be with the included wall control. The lowest speed allows for a slower "night mode". This is due to a change in speed capacitor within the receiver.

SMART KITS




Turn any of the EGLO Bondi, Noosa, Tourbillion and Surf ceiling fan ranges into a smart fan, with the addition of an EGLO my control smart receiver unit (Noosa and Tourbillion ranges), smart remote kit (Bondi range), or smart USB module (Surf range).

This allows you to pair the fan with the EGLO my control app, and easily control it from your smart device (smart device not included).

Benefits

- Turn your fan or fan light on / off
- Adjust your fan speeds
- Set timers and schedules
- Control your fan from anywhere in the world
- Controllable via intelligent voice assistants such as Google Home, Amazon Echo & Siri



SMART REMOTE KIT

FAN RANGE

COMPATIBLE MODELS

205487

Bondi

my control smart remote kit - suits all Bondi models

SMART RECEIVER

FAN RANGE

COMPATIBLE MODELS

205481

Noosa

my control smart receiver suits Noosa no light 40/46"

205482

Noosa

my control smart receiver suits Noosa no light 52"

205483

Noosa

my control smart receiver suits Noosa no light 60"

205484

Noosa

my control smart receiver suits Noosa LED 40/46"

205485

Noosa

my control smart receiver suits Noosa LED 52"

205486

Noosa

my control smart receiver suits Noosa LED 60"

205638

Tourbillion

my control smart receiver suits Tourbillion 60"

205639

Tourbillion

my control smart receiver suits Tourbillion 80"

SMART USB MODULE

FAN RANGE

COMPATIBLE MODELS

205503

Surf

my control smart USB module - suits all Surf models



my control



smart



fan timer



light timer



Download on the
App Store

GET IT ON
Google Play



ANGLE CANOPIES

1
YEAR
WARRANTY



20557501

ABS, UV resistant, matt white



20557502

ABS, UV resistant, matt black



20557504

ABS, UV resistant, titanium



20557512

ABS, UV resistant, oil rubbed bronze

Dimensions



	mm	inches
A	179	7.0
B	77	3.0

Inclusions



Includes both 21mm and 26mm collars to suit most rod sizes.

Note: Downrod not included.



Up to 40°
(21mm rod)



Up to 33°
(26mm rod)



Up to
35kg



Angle Canopy
Matt white angle canopy attached to an 80" Tourbillion ceiling fan.



DOWNRODS

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.

ALOHA



LENGTH (MM)	COLOUR	ITEM NUMBER
450	white matt	20680401
450	black matt	20680402
600	white matt	20680501
600	black matt	20680502
900	white matt	204346
900	black matt	204347
1800	white matt	204348
1800	black matt	204349

BONDI



LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206884
600	black matt	206883
900	white matt	203628
900	black matt	203631
900	titanium	204744
1800	white matt	203629
1800	black matt	203632
1800	titanium	204745

CABARITA & ILUKA



LENGTH (MM)	COLOUR	ITEM NUMBER
450	white matt	20680401
450	black matt	20680402
600	white matt	20680501
600	black matt	20680502
900	white matt	204346
900	black matt	204347
1800	white matt	204348
1800	black matt	204349

STRADBROKE



LENGTH (MM)	COLOUR	ITEM NUMBER
900	white matt	20522301
900	black matt	20522302
900	titanium	20522304
1800	white matt	20522401
1800	black matt	20522402
1800	titanium	20522404

SURF



LENGTH (MM)	COLOUR	ITEM NUMBER
450	white matt	20681201
450	black matt	20681202
600	white matt	20681301
600	black matt	20681302
900	white matt	20581201
900	black matt	20581202
1800	white matt	20581301
1800	black matt	20581302

TORQUAY



LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206882
600	black matt	206881
900	white matt	203376
900	black matt	202979
900	oil rubbed bronze	20523212
1800	white matt	203375
1800	black matt	202977
1800	oil rubbed bronze	20523312



CURRUMBIN



LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206882
600	black matt	206881
900	white matt	203376
900	black matt	202979
1800	white matt	203375
1800	black matt	202977

KURRAWA




LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206882
600	black matt	206881
900	white matt	203376
900	black matt	202979
1800	white matt	203375
1800	black matt	202977

NOOSA



LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206882
600	black matt	206881
900	white matt	203376
900	black matt	202979
1800	white matt	203375
1800	black matt	202977

TOURBILLION 60/80



LENGTH (MM)	COLOUR	ITEM NUMBER
600	white matt	206882
600	black matt	206881
900	white matt	203376
900	black matt	202979
900	titanium	204751
900	oil rubbed bronze	20523212
1800	white matt	203375
1800	black matt	202977
1800	titanium	204752
1800	oil rubbed bronze	20523312

TOURBILLION 100



LENGTH (MM)	COLOUR	ITEM NUMBER
900	white matt	20628601
900	black matt	20628602
900	titanium	20628604
1800	white matt	20628701
1800	black matt	20628702
1800	titanium	20628704

WAIKIKI



LENGTH (MM)	COLOUR	ITEM NUMBER
900	white matt	203628
900	black matt	203631
900	satın nickel	20518208
900	antique bronze	20518209
900	brushed brass matt	20518211
1800	white matt	203629
1800	black matt	203632
1800	satın nickel	20518308
1800	antique bronze	20518309
1800	brushed brass matt	20518311

SAMBA

Exhaust Fan

3
YEAR
WARRANTY



206175N

Housing
plastic, white



206177N

Housing
plastic, black



50 W



43dB



300 m³/h




1x1m



Ø 255mm
cut out

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	28	1.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	50	300	6

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

SAMBA

Exhaust Fan / Light

3
YEAR
WARRANTY



206174N

Housing
plastic, white



206176N

Housing
plastic, black



50 W



43dB



300 m³/h



2x1m



Ø 255mm
cut out



10W




850lm



CCT
switch

Dimensions



	mm	inches
Cut out	255	10.0
Height	157	6.2
Duct	120	4.7
Fascia	28	1.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	50	300	6

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

VESUVIUS

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204152

Housing
plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h



included




3000K
R80



390 x 220
cut out

Dimensions



	mm	inches
Cut Out	390 x 220	15.3 x 8.7
Height	241	9.5
Duct	100	3.9
Fascia	440 x 280	17.3 x 11.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

VESUVIUS

4 Heat/Exhaust/Light

3
YEAR
WARRANTY



204153
Housing
plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h




included



3000K
R80



300 x 300
cut out



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.4m x 2m	9.6m ³

	mm	inches
Cut Out	300 x 300	11.8 x 11.8
Height	232	9.1
Duct	100	3.9
Fascia	398 x 365	15.7 x 14.4

Attention: Minimum ceiling cavity height of 250mm required for installation.

HEATFLOW

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204154
Housing
plastic, white



204155
Housing
plastic, black matt



40 W



2x 275W



Ø 120 mm
3.0 m



460 m³/h



included



13W




950lm



430 x 250
cut out

Dimensions



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2m x 2.7m x 3m	16.2m ³

	mm	inches
Cut Out	430 x 250	16.9 x 9.8
Height	260	10.2
Duct	120	4.7
Fascia	480 x 290	18.9 x 11.4

Attention: Minimum ceiling cavity height of 250mm required for installation.

HEATFLOW

4 Heat/Exhaust/Light

3
YEAR
WARRANTY




204156

Housing
plastic white



204157

Housing
plastic, black matt



40 W



Ø 120 mm
3.0 m



460 m³/h



included



13W




950lm



430 x 270
cut out

Dimensions



Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

Recommended Maximum Room Measurements

Room Size W x H x D	Volume m ³
2m x 2.7m x 3m	16.2m ³

	mm	inches
Cut Out	430 x 270	16.9 x 10.6
Height	260	10.2
Duct	120	4.7
Fascia	480 x 360	18.9 x 14.2

Attention: Minimum ceiling cavity height of 250mm required for installation.

INFERNO

HALOGEN HEAT/EXHAUST/LIGHT

3
YEAR
WARRANTY



204158

Housing
plastic, white



204159

Housing
plastic, black matt



55 W



R7S



Halogen
1000W



Ø 150 mm
3.0 m



550 m³/h



included



4x 5W
GU10




4x 400lm



470x315
cut out

Dimensions



	mm	inches
Cut Out	470 x 315	29.1 x 12.4
Height	213	8.4
Duct	150	5.9
Fascia	500 x 350	19.7 x 13.8

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	55	550	10


Recommended Maximum Room Size

Room Size W x H x D	Volume m ³
2.5m x 2.7m x 4m	27m ³



Inferno

Inferno halogen heat/ exhaust/ light in white matt finish.



PIKTOGRAM

LIGHT COLOUR & LUMEN

The colours of the LED are represented as pictogrammes (see below), their luminous flux directly beneath. The luminous flux is quoted in lumen and describes the amount of light generated by the LED. The higher the value, the brighter is the lamp.



tri colour



tunable white



LED light source



cool white



neutral white



warm white

FUNCTIONS & COMFORT



airflow



ABS non rust construction



smart enabled



batteries included



motor type - AC motor



smart compatible



cut out (in mm)



motor type - DC motor



2 x 275W E27 R125 heat lamp



dimmable



timer function



4 x 275W E27 R125 heat lamps



not dimmable



natural breeze



R7S type halogen heat lamp



duct included



quick connect



1000W halogen heat lamp



remote control included



replaceable LED board



4 x GU10 type LED globes, max 5W



remote control adaptable



step dimming



6 year product / 3 year in-home warranty



indoor and covered outdoor use



suitable for sloped ceilings up to specified ° angle



5 year in-home warranty



fan direction reversible



suits low ceilings



3 year in-home warranty



light adaptable



wall switch included



1 year in-home warranty



UV resistant ABS blades



pull cord included



All EGLO ceiling fans are covered by a comprehensive 6-year warranty. 3 years in-home warranty protection, plus an additional 3 year motor warranty.

INDEX

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
202964	139	204808	145	20522802	82	20538401	103	20618902	127
202966	143	205127	159	20522812	82	20538402	103	20619101	128
202969	66	205222	159	20522901	85	20538415	103	20619102	128
202971	66	205563	150	20522902	85	20538501	104	20619221	131
202972	70	205564	150	20522912	85	20538502	104	20619228	131
202973	70	205565	150	20523101	86	20538515	104	20619321	133
203367	139	206174N	167	20523102	86	20549601	33	20619328	133
203368	143	206175N	166	20523112	86	20549602	33	20619421	135
203371	65	206176N	167	20523401	107	20549616	45	20619428	135
203372	69	206177N	166	20523402	107	20549617	45	20619501	136
203373	69	206183	141	20523405	109	20549701	34	20619502	136
203396	65	206184	145	20523406	109	20549702	34	20663101	11
203619	25	206185	150	20523501	115	20549716	46	20663102	11
203621	25	206222	158	20523502	115	20549717	46	20663201	13
203622	26	206324	29	20523505	117	20549801	37	20663202	13
203623	26	206637	159	20523506	117	20549802	37	20663501	15
203625	29	2051849	156	20523601	110	20549816	49	20663502	15
203626	30	20491401	17	20523602	110	20549817	49	20684707	73
203627	30	20491402	17	20523605	112	20549901	38	20684716	73
204152	168	20491404	17	20523606	112	20549902	38	20684807	74
204153	169	20491501	21	20523701	118	20549916	50	20684816	74
204154	170	20491502	21	20523702	118	20549917	50	20684907	77
204155	170	20491504	21	20523705	120	20550101	41	20684916	77
204156	171	20491601	18	20523706	120	20550102	41	20685107	78
204157	171	20491602	18	20533701	91	20550116	53	20685116	78
204158	172	20491604	18	20533702	91	20550117	53		
204159	172	20491701	22	20537715	91	20550201	42		
204351	89	20491702	22	20537801	92	20550202	42		
204353	89	20491704	22	20537802	92	20550216	54		
204739	25	20518101	153	20537815	92	20550217	54		
204741	26	20518102	153	20537901	95	20557501	162		
204742	29	20518108	155	20537902	95	20557502	162		
204743	30	20518109	155	20537915	95	20557504	162		
204781	57	20518111	155	20538101	96	20557512	162		
204782	57	20518401	156	20538102	96	20618601	147		
204787	58	20518402	156	20538115	96	20618602	147		
204788	58	20518408	156	20538201	99	20618604	149		
204794	61	20518411	156	20538202	99	20618701	123		
204795	61	20522701	81	20538215	99	20618702	123		
204801	62	20522702	81	20538301	100	20618801	124		
204802	62	20522712	81	20538302	100	20618802	124		
204807	141	20522801	82	20538315	100	20618901	127		

All previous catalogues and price lists are no longer valid with the issue of this catalogue. Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment. Products with additional safety remarks (e.g. protection class, IP) are identified within the product family with the relevant symbol and number. The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH. All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.

The product pictures and ambiances in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product. EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition: EGLO GmbH, Shontel, EGLO Lighting Australia Pty Ltd, Brisbane, AUSTRALIA

Pictures: EGLO, fotolia.com, istockphoto.com, Adobe Stock

October 2024



EGLO LIGHTING AUSTRALIA
5/339 Archerfield Rd
Richlands QLD 4077

07 3375 1413
eglo.com.au



my fan | my style